



11/16/00

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Docket No. A-67824-1/AJT

Anticipated Classification of  
this Application:

Class: Subclass:

Prior Application: 09/454,273

Examiner: not assigned

Art Unit: 2878

**Box PATENT APPLICATION FEE**Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

This is a request for filing a Continuation-in-part application under 37 C.F.R. 1.53(b), in the name of Keqi Tang, Alan E. Schoen, Jean-Jacques Dunyach, for MASS SPECTROMETER SYSTEM INCLUDING A DOUBLE ION GUIDE INTERFACE AND METHOD OF OPERATION. This continuation-in-part claims priority to pending application Serial No. 09/454,273 filed on December 3, 1999.

1. Enclosed is a continuation-in-part application.

2. Enclosed is a new Declaration (unsigned).

3. The filing fee is calculated below:

Claims as filed in the prior application, less any claims canceled by amendment below:

	(Col. 1)	(Col. 2)	SMALL ENTITY			OTHER THAN A SMALL ENTITY	
FOR:	NO. FILED	NO. EXTRA	RATE	FEE	OR	RATE	FEE
BASIC FEE				\$355	OR		\$710
TOTAL CLAIMS	10 - 20 =	0	x 9 =	\$	OR	x 18 =	\$
INDEP CLAIMS	4 - 3 =	1	x 40 =	\$	OR	x 80 =	\$ 80
[ ] MULTIPLE DEPENDENT CLAIM PRESENTED			+135 =	\$	OR	+270 =	\$270
*If the difference in Col. 1 is less than zero, enter "0" in Col. 2.			TOTAL	\$	OR	TOTAL	\$1060

"EXPRESS MAIL" MAILING LABEL

NUMBER EL527868840US

DATE OF DEPOSIT November 16, 2000

I HEREBY CERTIFY THAT THIS PAPER OR FEE IS BEING  
DEPOSITED WITH THE UNITED STATES POSTAL SERVICE  
"EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE UNDER  
37 CFR 1.10 ON THE DATE INDICATED ABOVE AND IS  
ADDRESSED TO: BOX PATENT APPLICATION FEE, ASSISTANT  
COMMISSIONER FOR PATENTS, WASHINGTON, DC 20231.

TYPED NAME KARI BATEMAN

SIGNED



4. The Commissioner is hereby authorized to charge any additional fees which may be required, including extension fees, or credit any overpayment to Deposit Account No. 06-1300 (Order No. A-67824-1/AJT).

5. Our check in the amount of \$1,060.00 is enclosed.

6. Informal drawings are enclosed, 8 sheets.

Address all future communications to:

Aldo J. Test

FLEHR HOHBACH TEST ALBRITTON & HERBERT LLP

Suite 3400, Four Embarcadero Center

San Francisco, California 94111-4187

Telephone: (650) 494-8700

Date: 11/14/2000



Maria S. Swiatek, Reg. No. 37,244

/for/ Aldo J. Test, Reg. No. 18,048

Attorney or agent of record

FLEHR HOHBACH TEST ALBRITTON & HERBERT LLP

Suite 3400, 4 Embarcadero Center

San Francisco, CA 94111-4187

## MASS SPECTROMETER SYSTEM INCLUDING A DOUBLE ION GUIDE INTERFACE AND METHOD OF OPERATION

### 5 Related Applications

This application claims priority to pending application serial no. 09/454,273 filed December 3, 1999.

### Field of the Invention

- 10 This invention relates generally to mass spectrometry, and more particularly to mass spectrometers employing atmospheric pressure ion sources such as electrospray or atmospheric pressure chemical ionization. More particularly, the invention relates to the use of two consecutive ion guides between the ion source and the mass analyzer to dissociate adduct ions, thus increasing the ion current for the analytically useful
- 15 molecular species.

### Background of the Invention

- Generally, the interface between the atmospheric pressure ion source and the mass analyzer includes a capillary tube or other restrictive aperture which determines
- 20 ion and gas throughput between the atmospheric pressure ionization region and a lower pressure region. The ions are drawn through the capillary or other restrictive aperture and directed to a downstream conical skimmer with a small aperture through which the sample ions flow. A tube lens or other electrostatic or electrodynamic focusing element may be associated with the capillary to force ions to the center of the
- 25 jet stream leaving the capillary to thereby increase the ion transmission through the aperture of the skimmer. Reference is made to U.S. Patent No. 5,157,260 which

describes the operation of an atmospheric pressure ionization source, capillary lens and conical skimmer. One or more vacuum stages are interposed between the skimmer and the mass analyzer which is operated at vacuum pressures in the free molecular flow region.

5       The prior art interface vacuum stages have included ion guides to transfer the ions through the stages of decreasing pressure into the mass analyzer. In many prior art systems, the ions are guided by electrostatic lenses. In other systems, the ions are guided by electrodynamic multipole ion guides.

10       The use of an r.f.-only octopole ion guide for focusing and guiding ion beams has been described by Teloy and Gerlich (Chem. Phys., Vol. 4, p. 417, 1974) and Jarrold et. al. (Mol. Phys., Vol. 39, p. 787, 1980).

15       The dissociation of mass-selected ions in an r.f.-only quadrupole by collision with a target gas at low translational energies ( $E_{lab} < \text{about } 100 \text{ eV}$ ) has been described by R. A. Yost and C. G. Enke et. al. (Anal. Chem., Vol. 51, p. 1251a, 1979), and Dawson et. al. (Int. J. Mass Spec. Ion Proc., Vol. 42, p. 195, 1982).

      McIver et. al. described the use of an r.f.-only quadrupole ion guide for guiding a beam of mass-selected ions into a Fourier-transform ion cyclotron resonance mass analyzer (Int. J. Mass Spec. Ion Proc., Vol. 64, p. 67, 1985).

20       Szabo described the theory of operation for multipole ion guides with various electrode structures (Int. J. Mass Spec. Ion Proc., Vol. 73, pp. 197-312, 1986).

      Efficient transport of ions through vacuum chambers by multipole ion guides has been described by Smith et. al. (Anal. Chem., Vol. 60, pp. 436-441, 1988).

25       Beu et. al. described the use of three quadrupole ion guides to transport ions from an atmospheric pressure ionization source through three vacuum pumping stages into a Fourier-transform ion cyclotron resonance mass analyzer (J. Am. Soc. Mass Spec., Vol. 4, pp. 557-565, 1993).

      U.S. Patent No. 4,963,736 describes the use of a multipole ion guide in the first pumping stage of a two-stage system. Operation of the multipole ion guide in certain length-times-pressure regimes is claimed for the purposes of enhancing ion signal.

30       U.S. Patent No's. 5,179,278 and 5,811,800 describe the temporary storage of ions in an rf multipole rod system for subsequent analysis in an r.f. quadrupole ion trap mass spectrometer. This is done for the purpose of matching the time scales of

compounds eluting from chromatographic or electrophoretic separation devices to the time scale of mass spectrometric analyses performed by an r.f. quadrupole ion trap.

U.S. Patent No. 5,432,343 describes an ion focusing lensing system for interfacing an atmospheric pressure ionization source to a mass spectrometer. It  
5 describes the use of an electrostatic lens in a transition flow pressure region of the interface, claiming benefit of independent adjustment of operating voltages controlling the collisionally induced dissociation and declustering processes. Enhancement of ion beam transmission into the mass analyzer is also claimed.

U.S. Patent No. 5,652,427 describes in one embodiment a system in which a  
10 multipole ion guide extends between two vacuum stages and in another embodiment a system which includes a multipole in each of two adjacent stages. Improved performance and lower cost are claimed.

U.S. Patent No. 5,852,294 describes the construction of a miniature multipole ion guide assembly.

15 A goal to be achieved in all single or multiple interface vacuum chambers is to transport as many protonated molecular cations or molecular anions as possible from the atmospheric pressure ionization source to the mass analyzer. However, many solvent adduct ions which are formed in the high pressure region travel through the interface vacuum chambers into the analyzer. The process of solvent adduction in the  
20 mass spectrometer system is generally considered to be a non-covalent association between sample ions of interest and neutral solvent molecules. Thus, in the case of introduction of an analyte into an electrospray or atmospheric pressure chemical ionization source, the ion current produced from that analyte may be divided between the protonated molecular cation or molecular anion and one or more solvent adduct  
25 species. Specific detection is usually accomplished by monitoring the ion signal, or derivative of that signal, for one specific mass. In the case where solvent adducts are formed, the limit of detection or limit of quantitation for the analyte is reduced.

Experimental evidence indicates that these adduct ions are predominantly formed in the high pressure regions of the system ranging from the API source region  
30 through the interface vacuum regions. The degree of adduction varies directly with the pressures in these regions. The formation of adduct ions significantly reduces the abundance of sample analyte ions. Furthermore, the adduct ions which enter into the

mass analyzer complicates the mass spectrum and make the identification of mass peaks more difficult.

### Objects and Summary of the Invention

5           It is an object of the present invention to provide a mass spectrometer system employing an ion source with multiple ion guides configured and operated to convert adduct ions into sample ions and a method of operating multiple ion guides to convert adduct ions into sample ions to thereby increase the analyte ions current and sensitivity of the mass spectrometer system.

10           In accordance with the invention, there is provided a mass spectrometer including a mass analyzer disposed in a high vacuum chamber for analyzing ions formed in an ionization source which includes first and second evacuated interface chambers immediately preceding the mass analyzer chamber, with the first interface chamber being at a higher pressure than the second interface chamber, and including a  
15 first ion guide for guiding ions from the ion source into said second interface chamber which includes a second multipole ion guide for guiding the ions from the first interface chamber into the high vacuum analyzer chamber for analysis. Both r.f. and DC potentials are applied to the said first and second ion guides to ensure ion focusing and transmission through related vacuum chamber. A first ion lens is disposed at the  
20 input of the first interface chamber for directing ions into the first multipole ion guide, an interchamber ion lens is disposed between the first and second interface chambers for directing ions into said second multipole ion guide, and an ion lens or a lens stack is disposed between the second interface chamber and the analyzer chamber for directing ions into said analyzer for analysis. These ion lenses also serve as gas  
25 conductance restrictors between said interface chambers.

          A DC voltage source is connected to provide a potential difference between the first lens and the first multipole ion guide or between interchamber lens and the second multipole ion guide or both which defines the ion's translational kinetic energy as it enters the second multipole ion guide. The ion's translational kinetic energy is  
30 chosen such that at the vacuum pressure of the second interface chamber adduct ions are converted into sample ions by collision induced dissociation without fragmentation of sample ions whereby the sample ion current entering the analyzer is increased, thereby increasing the sensitivity of the mass spectrometer system.

There is provided a method of mass analyzing ions produced in an atmospheric pressure ionization source in which adduct ions formed in the mass spectrometer system are dissociated prior to analysis to increase the analyte ion current to the mass analyzer and the sensitivity of the mass spectrometer system.

5        There is provided a method of operating a mass spectrometer system in which an analyzer in a vacuum chamber analyzes ions formed in an atmospheric pressure ionization source. The system includes first and second multipole ion guides disposed in serial first and second evacuated chambers immediately preceding the analyzer. The method comprises applying a DC voltage between the ion lens preceding either  
10    the first or the second multipole ion guide to provide translational kinetic energy to the adduct ions sufficient to dissociate any adduct ions at the pressure of the second chamber without fragmenting the sample ions whereby to increase the sample ion current directed into the analyzer and the sensitivity of the mass spectrometer system.

#### 15    Brief Description of the Drawings

The foregoing and other objects of the invention will be more clearly understood from the following description when read in conjunction with the accompanying drawings in which:

Figure 1 is a schematic view of a mass spectrometer system including an  
20    atmospheric pressure ion source coupled to a tandem mass analyzer through evacuated interface chambers with multipole ion guides.

Figures 2A and 2B show the mass spectra for an injection of Alprazolam in a liquid stream flowing at 400 microliters per minute ( $\mu\text{l}/\text{min}$ ) with -5V DC offset and -15V DC offset applied to the second ion guide.

25        Figures 3A and 3B show the mass spectra for an injection of Alprazolam in a liquid stream flowing at 1 milliliter per minute ( $\text{ml}/\text{min}$ ) with -5V DC offset and -15V DC offset applied to the second ion guide.

Figures 4A and 4B show the mass spectra for an injection of codeine-d3 in a liquid stream flowing at 400  $\mu\text{l}/\text{min}$  with -5V DC offset and -15V DC offset applied to  
30    the second ion guide.

Figures 5A and 5B show the mass spectra for an injection of codeine-d3 in a liquid stream flowing at 1  $\text{ml}/\text{min}$  with -5V DC offset and -15V DC offset applied to the second ion guide.

Figures 6A and 6B show the mass spectra for an injection of acetaminophen in a liquid stream flowing at 400  $\mu\text{l}/\text{min}$  flow with -5V DC offset and -15V DC offset applied to the second ion guide.

Figures 7A and 7B show the mass spectra for an injection of Ibuprofen in a liquid stream flowing at 400  $\mu\text{l}/\text{min}$  with +5V DC offset and +15V DC offset applied to the second ion guide.

Figure 8 is a schematic view of a mass spectrometer system as in Figure 1 with a single quadrupole mass analyzer rather than a tandem mass analyzer or other suitable mass analyzer.

#### Description of Preferred Embodiments

Referring to Figure 1, an atmospheric pressure ion source in chamber 11 is interfaced to a tandem mass analyzer 12 via three vacuum pumping stages. The first stage 13 which has the highest pressure is evacuated by an oil-filled rotary vane vacuum pump 14. Other types of vacuum pumps may also be used for this stage, such as a diaphragm pump or scroll pump. A typical pressure for first stage 13 is between 1 and 2 Torr. The second and third stages 16 and 17 are separated by a lens 18 with an orifice 19, which in one example was 1.5 mm in diameter, and can be evacuated by a hybrid or compound turbomolecular pump 21 which includes both turbomolecular and molecular drag pumping stages, and may have multiple inlets into each of these pumping stages, or by individual vacuum pumps (not shown). As will be explained in accordance with the present invention, the pressure in chamber 16 is below 500 mTorr, preferably below 250 mTorr, and more preferably below 175 mTorr; and the pressure in chamber 17 is below 1 mTorr, preferably below 0.7 mTorr, and more preferably below 0.5 mTorr. The pressure in the tandem mass analyzer chamber is approximately  $1 \times 10^{-5}$  Torr or below.

The atmospheric pressure ion source may be an electrospray ion source or atmospheric pressure chemical ionization source. With either ion source, sample liquid is introduced into the chamber 11, which is at atmospheric pressure, and ionized. The ions are drawn through a capillary 22, which may be heated, into chamber 13. The end of the capillary is opposite a conical skimmer 24 which includes a central orifice or aperture 26. The skimmer separates the low pressure stage 13 from the lower pressure stage 16. A portion of the ion and gas flow is skimmed from the



free jet expansion leaving the capillary and enters the second lower pressure stage. The ions which travel through the skimmer are guided into the mass analyzer by first and second multipole ion guides 27 and 28. In one example, the ion guides are square quadrupoles. The guide 27 is 1.25 inches long and the guide 28 is 3.37 inches with the rods separated by 0.118 inches (3 mm). The ion guides are mounted coaxially using polycarbonate holders (not shown). The quadrupole ion guides are operated by applying AC voltages 31 and 32 to the poles which guide ions as is well known. Ions which enter the second and third stages drift under the influence of DC voltage 33 applied between the skimmer lens 24 and lens 18, by DC voltage 34 applied between the lens 18 and the lens 36, and by DC offset voltages applied to ion guides 27 and 28.

As discussed above, solvent adduct ions are formed in the high pressure regions ranging from the atmospheric pressure region to the quadrupole ion guide stages or regions. The degree of adduction is believed to vary directly with the pressure in these regions. The formation of adduct ions can significantly reduce the abundance of sample analyte ions which reach the analyzer. Consequently, effective conversion of the adduct ions into protonated molecular cations or molecular anions can greatly enhance the sample ion current and the sensitivity of the mass spectrometer system.

We have discovered that the solvent adduct ions can be dissociated and converted into sample ions in the second ion guide 28 by applying a small DC offset voltage between the ion guide 28 and the lens 18 to increase the energy of the solvent adduct ions. An additional 10 volts DC offset applied to the second ion guide (usually used with a standard 5 V DC offset) is sufficient to convert the solvent adducts into the protonated molecular cation or molecular anion for all compounds tested. In addition, this offset voltage is insufficient to cause fragmentation of the analyte ions at the pressure of the second stage.

Both pumping efficiency and solvent adduction were evaluated. The pumping requirement and vacuum condition on the double ion guide system were compared to a standard TSQ 7000 system sold by ThermoQuest Corporation under the same gas load conditions. Several different compounds including a) acetaminophen; b) Alprazolam; c) codeine-d3; d) ibuprofen were used to investigate the degree of solvent adduction, conversion to protonated molecular cation or molecular anion, and fragmentation of the protonated molecular cation or molecular anion. The solvent

used in the experiment was 50:50 acetonitrile:water + 5mM ammonium acetate adjusted to a pH of 4.5. Table 1 lists the main experimental conditions, compound, molecular weight and type of solvent adduction investigated.

5 TABLE 1

Compound	Molecular Weight	Solvent Adduct	Ion Polarity	LC Flow (μl/min)	Sample Injected (ng)
Acetaminophen	151	Acetonitrile	Positive	400	500
Alprazolam	308	Acetonitrile	Positive	400 - 1000	1.6
Codeine-d3	302	Acetonitrile	Positive	400 - 1000	50
Ibuprofen	206	Acetate	Negative	200	50

Figures 2-7 show the comparative mass spectra for the four different compounds used in the evaluation under standard ( $\pm 5$  V DC) offset and an incremental 10 V DC ( $\pm 15$  V DC total) offset conditions between the interstage ion lens 18 and the second multipole ion guide 28 indicating that the signal intensity and peak area for the protonated molecular cations or molecular anions can be significantly enhanced by the application of the increased DC offset on the second multipole ion guide 28.

Figure 2A shows the mass scan for Alprazolam at 400 μl/min liquid chromatograph flow with the standard -5 volt offset, and Figure 2B shows Alprazolam with an incremental 10 volts of offset at the same flow rate. The increased sample ion signal produced by the incremental offset voltage is apparent.

Figures 3A and 3B show the mass spectra for Alprazolam at 1 ml/min flow. Again the increased sample ion current is apparent. Figures 4A and 4B show the mass spectra for codeine-d3 at 400 μl/min flow with the standard and increased offset voltages. The increased sample ion signal at  $m/z$  302 is apparent. The same mass spectra are shown for 1 ml/min codeine-d3 in Figures 5A and 5B. Figures 6A and 6B show a comparison of the mass spectra for Acetaminophen at 400 μl/min flow with the standard and increased offset voltages. Again, the vast improvement in sensitivity is apparent. Figures 7A and 7B show the mass spectra for ibuprofen flowing at 400 μl/min flow with the standard and increased offset voltages. The improved signal at  $m/z$  205 should be noted.

The DC offset required for high efficiency solvent adduct ion conversion at different vacuum conditions in both first chamber and second chamber was also investigated. The following tables summarize one set of tests in which the ratio of the acetonitrile adduct to the protonated molecular cation of codeine-d3 was investigated at different pressures and different DC offset voltages on the second ion guide.

**TABLE 2**

10	DC offset on second ion guide (volts)	-5	-5	-5	-5	-5
	First ion guide pressure (mTorr)	609	563	502	224	167
	Second ion guide pressure (mTorr)	1.6	1.2	1	0.7	0.5
15	Ratio of acetonitrile adduct ion to protonated molecular ion	704%	926%	288%	354%	248%
20	DC offset on second ion guide (volts)	-15	-15	-15	-15	-15
	First ion guide pressure (mTorr)	609	563	<b>502</b>	<b>224</b>	<b>167</b>
	Second ion guide pressure (mTorr)	1.6	1.2	<b>1</b>	<b>0.7</b>	<b>0.5</b>
25	Ratio of acetonitrile adduct ion to protonated molecular ion	445%	407%	<b>82%</b>	<b>38%</b>	<b>17%</b>
30	DC offset on second ion guide (volts)	-35	-35	-35	-35	-35
	First ion guide pressure (mTorr)	609	563	<b>502</b>	<b>224</b>	<b>167</b>
	Second ion guide pressure (mTorr)	1.6	1.2	<b>1</b>	<b>0.7</b>	<b>0.5</b>
35	Ratio of acetonitrile adduct ion to protonated molecular ion	300%	248%	<b>40%</b>	<b>7%</b>	<b>3%</b>

The bold data in Table 2 indicates the range of pressure and offset voltages at which the most efficient conversion of solvent adduct to protonated molecular cation is achieved. According to these results, the operating pressure for the ion guides should be:

First Ion Guide: below 500 mTorr

Second Ion Guide: below 1 mTorr and above 0.1 mTorr

Although the offset voltage which provides the translational kinetic energy to the adduct ions has been described as applied between the interstage lens and the second multipole guide, it is apparent that the translational kinetic energy can be

provided by applying the DC offset voltage between the skimmer lens and the first multipole stage or by applying voltages simultaneously between each lens and its respective multipole ion guide. The operating pressure will be the same as above.

The DC offset voltage range for efficient solvent adduction conversion should  
5 be  $\pm 10$  to  $\pm 30$  Volts, although  $\pm 10$  V is preferable.

The preferred pressure range is less than 250 mTorr for the first stage and 0.7 mTorr for the second stage, and the most preferred pressure range is less than 175 mTorr for the first stage, and 0.5 mTorr for the second stage.

10 The present invention can be used for other types of mass analyzers such as quadrupole mass analyzers of the type described in U.S. Patent Nos. 4,540,884 and RE 34,000. Figure 8 shows the interface stages and ion guides associated with a quadrupole mass analyzer 41 disposed in the vacuum chamber 12. Like members  
15 have been applied to the parts which correspond to those in Figure 1. It is apparent that the invention is applicable to other types of mass analyzers such as quadrupole ion trap, ion cyclotron resonance (i.e., magnetic ion trap), time-of-flight, magnetic sector, and double-focusing magnetic/electric sector, monopole, etc.

What is Claimed is:

1. A mass spectrometer system including a mass analyzer disposed in a high vacuum chamber for analyzing ions formed at atmospheric pressure and directed to the analyzer through intermediate vacuum chambers including:

- 5 first and second evacuated chambers directly preceding the mass analyzer chamber with the first chamber being at a higher pressure than the second chamber, a first multipole ion guide in the first chamber for guiding ions into said second chamber,
- a second multipole ion guide in the second chamber for guiding ions from the
- 10 first chamber into the high vacuum chamber for mass analysis, and means associated with one or both of said first and second multipole ion guides for increasing the translational kinetic energy of the adduct ions so that at the vacuum pressure of the second interface chamber adduct ions traveling into the chamber are converted into protonated molecular cations or molecular anions ions without
- 15 fragmentation of these ions whereby to increase the sample ion current and therefore the sensitivity of the mass spectrometer system.

2. A mass analyzer as in claim 1 including ion lenses preceding each said multipole ion guide and a DC voltage is applied between a selected lens and its
- 20 associated ion guide to increase the translational kinetic energy of the adduct ions entering the second interface chamber.

3. A method of mass analyzing ions produced at atmospheric pressure, in which adduct ions are formed, and introduced into a mass analyzer disposed in a
- 25 vacuum chamber,

the step of dissociating the adduct ions prior to entry into the mass analyzer to increase the analyte ion current into the mass analyzer.

4. The method of operating a mass spectrometer system including a mass
- 30 analyzer which analyzes ions formed at atmospheric pressure, said system including first and second multipole ion guides disposed in serial first and second evacuated chambers separated by an ion lens for guiding analyte ions into said mass analyzer and an ion lens defining the first evacuated chamber which comprises

applying a DC offset voltage between a selected one or both ion lenses and the succeeding multipole ion guide having an amplitude so as to provide translational kinetic energy to said adduct ions to dissociate the adduct ions at the pressure of the second chamber to increase the sample ion current and the sensitivity of the mass spectrometer system.

5. A mass spectrometer system as in claim 4 in which the pressure in the first chamber is below 500 mTorr, and in the second chamber is below 1 mTorr, and the offset voltage applied between the interchamber lens and the second multipole ion guide is between  $\pm 10$  volts and  $\pm 30$  volts.

6. A mass spectrometer system as in claim 5 in which the pressure in the first chamber is less than 250 mTorr, and in the second chamber is less than 0.7 mTorr.

7. A mass spectrometer system as in claim 5 in which the pressure in the first chamber is less than 175 mTorr, and in the second chamber is less than 0.5 mTorr.


8. A mass spectrometer as in claim 6 or 7 in which the offset voltage is  $\pm 10$  volts.

9. The method of analyzing ions and adduct ions produced at or near atmospheric pressure in a mass analyzer,  
guiding said ions and adduct ions through at least a first chamber maintained at a first pressure and a second chamber maintained at a lower pressure,  
adding translational kinetic energy to said adduct ions as they travel through said chambers such that in the second chamber the adduct ions are dissociated prior to entering the mass analyzer.

## ABSTRACT


There is described an interface for delivering ions generated in an ion source into a mass analyzer in a chamber under vacuum pressure. In particular, the interface employs two consecutive ion guides operated to dissociate adduct ions formed in the  
5 ion source or high pressure regions of the interface between the ion source and the mass analyzer, thus improving the limit of detection or limit of quantitation of the mass analyzer by increasing the analyte ion current.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2






Intensity



mass

FIGURE 2A

Intensity



mass

FIGURE 2B

Intensity




FIGURE 3A

mass

Intensity





FIGURE 3B.

mass


Intensity



mass

FIGURE 412

Intensity



mass

FIGURE 413





FIGURE 5A 11753



11755

FIGURE 5B

Intensity




FIGURE 6A

21753

Intensity




FIGURE 6B

21753




FIGURE 7A





FIGURE 7B



## DECLARATION FOR PATENT APPLICATION

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled MASS SPECTROMETER SYSTEM INCLUDING A DOUBLE ION GUIDE INTERFACE AND METHOD OF OPERATION,

the specification of which

(check ☒ is attached hereto.  
one)

☐ was filed on \_\_\_\_\_ as  
Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_  
(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the Patent Office all information known to me to be material to patentability as defined in 37 C.F.R. 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed	
_____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
_____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
_____	_____	_____	<input type="checkbox"/>	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose to the Patent Office all information known to me to be material to patentability as defined in 37 C.F.R. 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

<u>09/454,273</u>	<u>December 3, 1999</u>	<u>pending</u>
(Application Serial No.)	(Filing Date)	(Status)
(patented, pending, abandoned)		



Direct all telephone calls to Aldo J. Test at (650) 494-8700.

Address all correspondence to: Aldo J. Test  
FLEHR HOHBACH TEST  
ALBRITTON & HERBERT LLP  
Suite 3400, Four Embarcadero Center  
San Francisco, California 94111

File No. A-67824-1/AJT

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18, United States Code, §1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of

first inventor: Kegi Tang

Inventor's signature: \_\_\_\_\_

Date: \_\_\_\_\_

Residence: Cupertino, California

Citizenship: PRC

Post Office Address: 10302 Terry Way, #1, Cupertino, CA 95014

Full name of

second inventor: Alan E. Schoen

Inventor's signature: \_\_\_\_\_

Date: \_\_\_\_\_

Residence: Saratoga, California

Citizenship: US

Post Office Address: 16810 Bohlmon Road, Saratoga, California 95070

Full name of

third inventor: Jean-Jacques Dunyach

Inventor's signature: \_\_\_\_\_

Date: \_\_\_\_\_

Residence: San Jose, California

Citizenship: French

Post Office Address: 373 River Oaks Circle, #2010, San Jose, CA 95134